



Round Highbays

	HIEYE HIEYE RED		APOLLO	HIVISION	COSSACK	QS-HYE
	Spec Grade	Spec Grade	Spec Grade	Spec Grade	Spec Grade	Quickship*
	O Church	65°C		C C		
Applications	Industrial, Warehouse, General Open Spaces, Wet Locations, Manufacturing	Heavy Industrial, Manufacturing, Non-Conditioning, Spaces, Nanatoriums	Manufacturing, Warehousing, Commercial, Retail, Mixed Use Spaces, Gymnasiums	Manufacturing, Non-Conditioned Spaces, Food Service, Nanatoriums, Cold Storage	Warehouse, Retail, Mixed-Use Spaces, Gymnasiums, Service Bays, Under Canopy	Light Duty, Warehouse, General Open Spaces, Wet Locations, Manufacturing
Lumens	4,140L – 41,400L	16,000L – 32,000L	11,000L – 22,000L	14,000L – 28,000L 8,400L – 24,000L		13,000L - 26,000L
LPW	Up to 140 LPW	Up to 130 LPW	Up to 110 LPW	Up to 140 LPW	Up to 120 LPW	Up to 130 LPW
Temperature Rating	Up to 55°C	Up to 65°C	Up to 50°C	Up to 50°C	Up to 50°C	Up to 55°C
Listings	IP65, IK10	IP65	Wet Area	IP69K Optics, IP65, NSF, IK10	IP65	IP65
DLC	Premium	Premium	Premium	Standard	Standard	Premium
Optics	Polycarbonate, Acrylic, Aluminium	Tempered Glass, Aluminium	Aluminium, Clear, Acrylic	Prismatic, Polycarbonate	Tempered Glass	Tempered Glass
Distributions	General/Wide Distribution	General	General/Wide Distribution	General	General	General
Surge Protection	Up to 10kV	6kV	6kV	4kV	4kV	4kV
Controls	+ Integrated Sensor + Remote Control + Field Selectable Power Control + 0-10V Dimmable	+ 0-10V Dimmable	+ 0-10V Dimmable + Microwave Sensor	+ Microwave Detector + 0-10V Dimmable + Infrared Motion Sensor	+ 0-10V Dimmable + Microwave Sensor	+ 0-10V Dimmable + Microwave Sensor

^{*}Some versions are part of the Quickship Program and In Stock

Linear Highbays

	REFINO HP HISKY MAXX		INTERCEPTOR	HISKY LF	HIWING	QS-INT
	Spec Grade	Spec Grade	Spec Grade	Spec Grade	Spec Grade	Quickship*
Applications	Warehouse, General Industrial Spaces, Exhibition Centers, Large Open Spaces, Retail	Warehouse, Retail, Mixed-Use Spaces, Gymnasiums, High Mounting Heights	Manufacturing, Warehousing, Commercial, Retail, Mixed Use Spaces, Gymnasiums	Warehouse, Distribution Centers, Light Manufacturing, Gymnasiums, Retail, Convention Centers	Retail, Grocers, Schools, Showrooms, Data Centers, General Offices	Light duty, Warehouse, General Open Spaces
Lumens	15,500L – 74,400L	9,350L - 81,600L	20,800L - 32,500L	13,000L – 27,000L	11,900L – 28,050L	13,000L – 21,450L
LPW	Up to 155 LPW	Up to 170 LPW	Up to 130 LPW	Up to 130 LPW	Up to 170 LPW	Up to 130 LPW
Temperature Rating	Up to 55°C	Up to 55°C	Up to 50°C	Up to 50°C	Up to 50°C	Up to 45°C
Listings	IP66, IK10	IP5X Optics, Dust Resistant	Wet Area	Wet Area, IK08	IP54, IK08 Wet Area	Wet Area
DLC	Premium	None	Standard	Premium	Premium	Premium
Optics	Acrylic, Polycarbonate	Acrylic, Polycarbonate	Glass	Clear, Polycarbonate	Clear, Acrylic, Polycarbonate	Acrylic
Distributions	60°, 90°, 30x90°, 60x120°	Wide, General, Aisle	General	Narrow, Wide, Medium	Wide, General, Aisle	General
Surge Protection	Up to 10kV	6kV	6kV	4kV(MVOLT)	2kV	4kV
Controls	+ Photocell + Zigbee/Dali + 0-10V Dimmable + Microwave Detector + Field Selectable Power Control + Infrared Motion Sensor	+ 0-10V Dimmable + Microwave Motion Sensor	+ 0-10V Dimmable + Microwave Detector + Dali	+ Daylight Sensor + Microwave Detector + 0-10V Dimmable	+ 0-10V Dimmable + Microwave Detector	+ 0-10V Dimmable + Microwave Detector

^{*}Some versions are part of the Quickship Program and In Stock

Strips

	PRO5 NANO	PRO5 M	CHALLENGER	CHALLENGER CLS	PR05	QS-P5M	QS-CHA
	Spec General	Spec General	Spec Special	Spec Special	Spec General	Quickship*	Quickship*
		0)				9	
Applications	Commercial, Retail, Manufacturing, Display, Warehouse	Retail, Commercial, Warehouses, Garages, Schools, Storage Facilties	Wet Locations, Parking Garages, Garden Centers, Food Processing	Outdoor Canopies, Locker Rooms, Wet Locations	Retail, Warehouses, Workshops, Storage Facilties, Schools	Warehouse, General Industrial Spaces, Exhibition Centers, Retail	Parking Garages, Stairwells, Car Washes, Food Processing
Lumens	2,860L - 12,480L	4,000L - 15,000L	2,600L - 9,800L	3,120L – 13,000L	2,600L – 9,200L	4,160L - 8,320L	7,600L – 15,750L
LPW	Up to 130 LPW	Up to 125 LPW	Up to 140 LPW	Up to 130 LPW	Up to 130 LPW	Up to 130 LPW	Up to 155 LPW
Temperature Rating	Up to 45°C	Up to 50°C	Up to 50°C	Up to 50°C	Up to 50°C	Up to 45°C	Up to 50°C
Listings	Indoor	IP66, IK08 Wet Location	IP66, IK08	IP66, IK08, NSF Wet Location	IP66, IK10	IP65	IP66
DLC	Premium	Premium	Premium	Premium	Standard	Premium	Premium
Optics	Ribbed High Density Polycarbonate	Polycarbonate	Acrylic, Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
ССТ	CCT Selectable 3000K, 4000K, 5000K	3500K, 4000K, 5000K, 6000K	3000K, 4000K, 5000K, 6000K	2700K, 4000K, 5000K, 5700K	3000K, 4000K, 5000K, 6000K	5000K	5000K
Lengths	2'/4'/8'	4'/5'/8'	2'/4'	2'/4'/6'/8'	2'/3'/4'/5'	4'/8'	4'/8'
Controls	+ 0-10V Dimmable + Field Selectable Power Control + Linkable + Microwave Detector	+ Daylight Sensor + Microwave Detector + Linkable + 0-10V Dimming	+ Linkable		+ Daylight Sensor + Microwave Detector + Linkable	+ Microwave Detector + 0-10V Dimmable	+ Microwave Detector

^{*}Some versions are part of the Quickship Program and In Stock

Quickship



In Stock and Ready to Ship

The Sunled Quick Ship Program is designed to help you receive your orders for our LED lighting products fast! When you need the highest quality LED lighting products to get the job done right—Sunled is a reliable partner to deliver items quickly and easily.

No Wait. Fast Dispatch. Trusted Performance

From specification to design build projects, Sunled Industries lighting solutions can be tailored across multiple portfolios



Manufacturing



Warehouse



Food Processing



Office



Retail



Education



Healthcare



Parking Garage