PREZIO

Facade Floodlight

Applications: Building perimeters, bars & shopping malls, corporate offices building facades & entrances architectural

PERFORMANCE SUMMARY

The Sunled Prezio facade floodlight is a lighting solution that offers high-performance with an exhaustive range of options

An adjustable bracket allows for a complete 180° rotation of Prezio, makes it perfect for decorating outdoor environments such as entrances of shops, architectural attractions and building facades

Construction

- Durable extruded die cast aluminium housing
- Surface finished with a proprietary Akzo Nobel treatment, withstanding harsh weather conditions without cracking or peeling
- Multitude of mounting accessories for use in commercial and residential facade applications
- Different body sizes for building, facade or general perimeter applications

Optics

- Tempered glass lens cover
- Glare reducing baffle option
- Available in 5 distributions for precise optical control
- CRI: RA80

Electrical

- Volts: AC100-277V or DC24V
- Environment Location: IP65
- Average Rated Life: 100,000hrs
- Ambient Temp: -4°F to 113°F

ACCESSORIES

Round Gear Box

Trapezoid Gear Box

Horizontal Spread H55°xV20°

Vertical Spread H20°xV55°

Baffle Louver

Ground Mounted

Wall Mounted

Bracket Mount

Tree Strap

Ground Stake

Ring

Upper visor

Full visor

PRODUCT CODE

Example Prezio 24 cat. 27.M.C20.45.CR.R.DIM.B.MT/H

Model No	CCT (K)	Body Size	Wattage (W)	Beam Angle	Cover Frame	Gear Box	Dimming	Housing Color	Accessories
Prezio 24 DC24V Prezio 120 AC120-277V	27 - 2,700 30 - 3,000 40 - 4,000 50 - 5,000	S - Small	C6 - 6W/359lm C11 - 11W/518lm	15 - 15° 30 - 30° 45 - 45° 4020 H40°xV20° 2040 H20°xV40°	CR - Ring CV - Top Visor CF - Full Visor	R - Round T - Trapezoid	DIM - 0-10V Dimming 0 - None	B - Black RAL9011 W - White RAL9016 G - Gray RAL7012 M - Mineral Bronze S - Silver RAL9006	S - Ground Stake P - Tree Strap H - Baffle Louver M - Marine Treatment B3 - 3ft Bracket MT - Junction Mounting Plate 0 - None
		M - Medium	C20 - 20W/1,480lm C27 - 27W/2,053lm						
		L - Large	C36 - 36W/2,511lm C48 - 48W/3,388lm						

100 Duffy Ave, Hicksville NY 11801 . Phone: 917.563.7078 . www.sunledind.com
© 2025 Sunled Industries LLC. All Rights Reserved

PREZIO
Facade Floodlight

DIMENSIONS

Small
Weight: (May vary with accessories)
3.5lbs (1.6kg)



Medium
Weight: 6.8lbs (3.1kg)



Large
Weight: 9.7lbs (4.4kg)



BEAM ANGLE

15°

30°

45°

H40°xV20°

H20°xV40°

SUNLED INDUSTRIES

100 Duffy Ave, Hicksville NY 11801 . Phone: 917.563.7078 . www.sunledind.com
© 2025 Sunled Industries LLC. All Rights Reserved